



Cristex Composite Materials

Product: **E 200 P**

Description:

92111-FK104 is a medium weight plain weave glass fibre fabric and treated with a multifunctional finish suitable for hand layup with Polyester, Vinylester Resin Systems. This material has a soft handle.

Technical Data:

Base Fabric			Tolerance	Test Method
Yarn	Warp Weft	EC9 – 68 EC9 – 68	± 5%	DIN EN 12654
Thread Count	Warp Weft	17.2 per 1cm 12.0 per 1cm	± 5%	DIN EN 1049
Tensile Strength (TYPICAL)	Warp Weft	750 N/cm 550 N/cm		DIN EN 12654
Weight		206 g/m ²	± 5%	DIN EN 12127
Weave		Plain		DIN ISO 9354

Coating: Volan treated after heat cleaning.

Finish Fabric				
Weight		201 g/m ²	± 10%	DIN EN 12127
Thickness (TYPICAL)		0.20 mm	± 10%	DIN ISO 4603/E
Tensile Strength (TYPICAL)	Warp Weft	200 n/cm 150 n/cm		DIN ISO 4606
Organic Content (TYPICAL)		< 1%		

Note: Technical information furnished is based on laboratory findings and believed to be correct. No warranties of any kind are made except that the materials supplied are of standard quality. All risk and liabilities arising from handling, storage and use of products, as well as compliance with applicable legal restrictions, rests with the user